

Please download this editable PDF to your computer. Once you have filled out all the fields, save your work and send it to conveyorsales@lewcoinc.com.

*Indicates answer required.

INTRODUCTION

Company Name:	Who Are You?		
Contact Name:			
Company Street Address:	Address 2:		
City:	State / Province:		
Zip Code:	Country:		
Phone Number:	Email Address:		
Project Reference:	Pricing Requirement:	Budget	Firm
Quote Due Date:	Project Order Time Frame:		

APPLICATION INFORMATION

*What is the product being conveyed?

Describe the products' bottom surface that will be in contact with conveyor. For example, is it a flat even surface?

Can you provide a picture of the bottom of the pallet, bin, or product?	Yes	No
*Product Width:	Inches	*Product Length: Inches
*Product Height:	Inches	*Product Maximum Unit Weight: LBS.
Product Temperature:	°F.	*Maximum Total Weight on Conveyor: LBS.

What is the rate of product per hour?

Harsh environmental factors to consider:

Temp. above 100°F.	Excessive Particulate	Abrasive Material	Oil	Outdoor
Temp. below 35°F.	Moisture/ Humidity	Other:		

How is the conveyor loaded?	Conveyor	Fork Truck	Robot	Crane	Other:
------------------------------------	----------	------------	-------	-------	--------

APPLICATION INFORMATION

How is the conveyor unloaded? Conveyor Fork Truck Robot Crane Other:

CONVEYOR DESIGN & CONSTRUCTION

***Conveyor Type:**



Preferred Model:

Belt Width: **Inches**

Belt Type:

Is a Troughed Belt required? Yes No Unsure

Is a V-Guide required? Yes No Unsure ***Conveyor Speed:** **Feet per Minute (FPM)**

*V-Guides allow for better belt tracking. If conveyor width is not 3x the length, a V-Guide is required.

CONVEYOR DESIGN & CONSTRUCTION

Motor Horsepower:

Motor Voltage:

*Does the conveyor need to reverse? Yes No

Drive Location:

Do you need any optional equipment?

Emergency Stop Button(s)	Photo Eye Sensor(s)	Guardrail, Height:	Inches
Emergency Stop Pull Cord	End Stop(s)	Other:	
At-Motor Disconnect Switch	Supports w/ Casters		

Conveyor Color:

				
Traffic Blue, RAL 5017	Light Gray, RAL 7035	Repose Gray, not a RAL	Patina Green, RAL 6000	Signal White, RAL 9003
				
Jet Black, RAL 9005	Flat Black, not a RAL	Bright Red Orange, RAL 2008	Traffic Yellow, RAL 1023	

CONTROLS

Does LEWCO need to provide drive motor controls? Yes No

Is speed variable? Yes No

What is the supply voltage/phase/hertz required?

ADDITIONAL INFORMATION

If this is a system, can you provide a layout drawing or sketches? Yes No

Additional details: