

MULTI-STRAND CHAIN CONVEYOR RFQ

Please download this editable PDF to your computer. Once you have filled out all the fields, save your work and send it to conveyorsales@lewcoinc.com.

*Indicates answer required.

INTRODUCTION

Company Name:	Who Are You?		
Contact Name:			
Company Street Address:	Address 2:		
City:	State / Province:		
Zip Code:	Country:		
Phone Number:	Email Address:		
Project Reference:	Pricing Requirement:	Budget	Firm
Quote Due Date:	Project Order Time Frame:		

APPLICATION INFORMATION

*What is the product being conveyed?

Describe the products' bottom surface that will be in contact with conveyor. For example, is it a flat even surface?

Can you provide a picture of the bottom of the pallet, bin, or product?

Yes No

*Product Width:	Inches	
*Product Length:	Inches	
*Product Height:	Inches	
*Product Maximum Unit Weight:		LBS.
*Maximum Total Weight on Conveyor:		LBS.
Product Temperature:	°F.	



MULTI-STRAND CHAIN CONVEYOR RFQ

APPLICATION INFORMATION

Rate of product per hour:

How is the conveyor loaded? Conveyor Fork Truck Robot Crane Other:

How is the conveyor unloaded? Conveyor Fork Truck Robot Crane Other:

Harsh environmental factors to consider:

Temp. above 100°F. Excessive Particulate Abrasive Material Oil Outdoor
 Temp. below 35°F. Moisture/ Humidity Other:

CONVEYOR DESIGN & CONSTRUCTION

Number of Chain Strands:

Chain Type:







Conveyor Length: Inches

Top of Chain Height: Inches

Chain Centers:

Conveyor Speed: Feet per Minute (FPM)

Drive Location:

 <p>Drive Between Strands, Right Hand</p>	 <p>Center Drive Between Strands, Right Hand</p>	 <p>Side Drive, Right Hand</p>
 <p>Drive Between Strands, Left Hand</p>	 <p>Center Drive Between Strands, Left Hand</p>	 <p>Side Drive, Left Hand</p>
<p>No Preference</p>		<p>Other:</p>

MULTI-STRAND CHAIN CONVEYOR RFQ

CONVEYOR DESIGN & CONSTRUCTION

Motor Horsepower:

Motor Voltage:

Add filler plates between the chain strands?

Conveyor Color:



Traffic Blue, RAL 5017




Light Gray, RAL 7035



Repose Gray, not a RAL



Patina Green, RAL 6000



Signal White, RAL 9003



Jet Black, RAL 9005



Flat Black, not a RAL



Bright Red Orange, RAL 2008



Traffic Yellow, RAL 1023

Do you need any optional equipment?

Emergency Stop Button(s)

Photo Eye Sensor(s)

Other:

Emergency Stop Pull Cord

End Stop(s)

At-Motor Disconnect Switch

Guardrail, Height:

Inches

CONTROLS

Does LEWCO need to provide drive motor controls?

Yes

No

Does the conveyor need to reverse?

Yes

No

Is speed variable?

Yes

No

What is the supply voltage/phase/hertz required?

ADDITIONAL INFORMATION

If this is a system, can you provide a layout drawing or sketches?

Yes

No

Additional details: