

POLY V ROLLER CONVEYOR RFQ

Please download this editable PDF to your computer. Once you have filled out all the fields, save your work and send it to conveyorsales@lewcoinc.com.

*Maximum Total Weight on Conveyor:

Product Temperature:

INTRODUCTION		
Company Name:	Wh	no Are You?
Contact Name:		
Company Street Address:		Address 2:
City:	State / Province:	
Zip Code:	Country:	
Phone Number:	Email Address:	
Project Reference:		Pricing Requirement: Budget Firm
Quote Due Date:	Project Order	Time Frame:
*What is the product being conveyed? Describe the products' bottom surface that will be in contact with conveyor. For example, is it a flat even surface?		
Can you provide a picture of the bottom of the pallet, bin, or product? Yes No		
*Product Width:	Inches	
*Product Length:	Inches	ESOT SKILDTH (MENTAL)
*Product Height:	Inches	HEIGHT
*Product Maximum Unit Weight:	LBS.	LEWCO? Winderson

LBS.

°F.

^{*}Indicates answer required.



POLY V ROLLER CONVEYOR RFQ

APPLICATION INFORMATION

Accumulation: Yes - Indexing/ Zones No Unsure

What is the rate of product per hour?

How is the conveyor loaded?

Another Conveyor Fork Truck Robot Crane Other:

How is the conveyor unloaded?

Another Conveyor Fork Truck Robot Crane Other:

Harsh environmental factors to consider:

Temp. above 100°F. Excessive Particulate Abrasive Material Oil Outdoor

Temp. below 35°F. Moisture/ Humidity Other:

CONVEYOR DESIGN & CONSTRUCTION


Roller Size: Roller Spacing:

Roller Tube Material or Cover:

Effective Width of Conveyor: Inches Conveyor Length: Inches

Top of Roller Height: Inches Conveyor Speed: Feet per Minute (FPM)

Should rollers be set high or low in frame? (this applies to non-drive side of conveyor; rollers are set low on drive side)



Motor Horsepower (if known): Motor Voltage:

Conveyor Color:

Traffic Blue, RAL 5017 Light Gray, RAL 7035 Repose Gray, not a RAL Patina Green, RAL 6000 Signal White, RAL 9003

Jet Black, RAL 9005 Flat Black, not a RAL Bright Red Orange, RAL 2008 Traffic Yellow, RAL 1023

2



POLY V ROLLER CONVEYOR RFQ

CONVEYOR DESIGN & CONSTRUCTION

Do you need any optional equipment?

Emergency Stop Button(s) Photo Eye Sensor(s) Funnel Guide

Emergency Stop Pull Cord End Stop(s) Guardrail, Height: Inches

At-Motor Disconnect Switch Pop-Up Stop(s) Other:

CONTROLS

Does LEWCO need to provide drive motor controls? Yes No

Does the conveyor need to reverse? Yes No

Is speed variable? Yes No

What is the supply voltage/phase/hertz required?

ADDITIONAL INFORMATION

If this is a system, can you provide a layout drawing or sketches?

Yes

No

Additional details: